


[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

PermaSafe SHIELD™ Step 2

MICROBIOSTATIC AGENT*
A Silicone Quaternary Ammonium Salt



For use as an antimicrobial preservative under EPA and FDA Regulations to preserve food contact articles. (Food Preparation Surfaces, Polymeric Tubing for Beverages, Activated Carbon Water Filters) subject to FDA Regulations.**

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease-causing bacteria.

Active Ingredient: 3-(trihydroxysilyl)propyldimethyloctadecyl ammonium chloride....**0.50%**
Other Ingredients:.....**99.50%**
TOTAL INGREDIENTS:.....**100.00%**

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 87583-3

EPA EST. No. xxxxx-xx-xxx

NET CONTENTS: 2,4,6,8,12,16,32 oz or 1,5,30,55,275 Gallons

Manufactured by: PermaSafe Protective Coatings, LLC, 6855 Lyons Technology Circle #18, Coconut Creek, FL 33073

* A microbiostatic agent is an agent that inhibits the growth of odor causing bacteria and fungi (mold and mildew), bacteria and fungi (mold and mildew) which cause staining and discoloration, and algae. This product does not protect users or others against food-borne or disease-causing bacteria or fungi.

ENVIRONMENTAL HAZARDS

Commercial and industrial uses: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

De-activation may be required during clean up if a spill occurs. De-activation of the Product can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfate) in quantity equivalent to that of the product.

Residential use: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

DIRECTIONS FOR USE

Approved Commercial and Industrial Applications

[AND/OR]

Approved commercial appliances used in homes, offices, automobiles, ship sails, buses, trains, ships, boats and airplanes and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

The product can be applied to organic or inorganic substrates by fogging. All surfaces must be cleaned prior to fogging. Fogging is supplement to normal cleaning and practices. Fogging can be used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities, and food processing facilities.

1. Prior to fogging, remove and carefully protect all food products and packaging materials.
2. Fog areas using one gallon per 1000 cu. ft. of room area.
3. Allow surfaces to drain thoroughly and air dry before operations are resumed.

Dry substrates at temperatures from ambient to a maximum of 160°C (320°F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply the Product every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

The product when used as a concrete additive is added directly concrete preparation. Use 60 fluid ounces per cubic feet of concrete. Addition of the product reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

The active ingredient in the product is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. The product can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles,

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

- recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional, non-food contact sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wood/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

For Pump Spray Application: Using pump sprayer, spray entire area 4”-6”s from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Apply the product per the table below:

Amount of Product	Pint 16 fl. Oz.	Quart 32 fl. Oz.	½ Gallon 64 fl. Oz.	One Gallon 128 fl. Oz.
Area to be Treated	25 sq. ft.	50 sq. ft.	100 sq. ft.	200 sq. ft.

When treating coarser substrates, more product may be required due to absorption. A fan may be used to assist in drying carpet.

For Commercial Spray Application: For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaner, electrostatic sprayers, and pressure sprayers) apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. See table for application rates. When treating coarser substrates, more product may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpet.

For Dipping/Soaking Application: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough product solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperature or at temperatures to a maximum of 160°C (320°F), (for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer.) If necessary, reapply product every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

****FOR USE AS AN ANTIMICROBIAL TO PRESERVE FINISHED FOOD CONTACT ARTICLES SUBJECT TO FDA REGULATIONS.** Incorporate the product as an antimicrobial additive to coat items listed below that are used for manufacturing, processing, packing, packaging, transporting, handling and/or holding food or water if such use is not intended to have any effect in the food or water itself. Do not incorporate the product into any food or water contact application listed on this label unless the substance is approved, with associated use conditions, for food or water contact in **21 CFR 174-186** (inclusive) as amended or in the US FDA’s Food Contact Substance Notification System, as amended.

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

Food Preparation Surfaces

This Food Contact Substance (FCS) can be used as an additive without food or beverage type or temperature limitation, in food or beverage preparation and processing surfaces (where FCS is applied to the surface as a coating).

Use:

Food contact surface coatings, films and laminates.

Products:

- Appliances, equipment and utensils, (used in preparing and processing of food products for human and animal consumption)
- Barrier fabrics
- Building materials and components, (used in food preparation and processing areas)
- Collection and storage equipment (such as conveyor systems, piping systems, silos, tanks, and process vessels made from any material)
- Cookware made from any material
- Countertops and cutting boards made from composite materials, stainless steel, laminates
- Food wrap (including coated deli paper, coated food interleaves, plastic wrap, polystyrene and plastic trays, aluminum foil)
- General purpose containers of any material for short and long term storage
- Glazing for cement tiles
- Glazing for vitreous china used in plumbing fixtures such as countertops, sinks and other vessels
- Industrial equipment and machinery for the preparation, processing or transportation of food and beverage products
- Natural and synthetic fibers and fabrics in any combination of compositions packaging (made from paper, plastics or metals)
- Paper products (such as wipes, tissues, wall coverings, towels)
- Plastic film (of any weight and composition)
- Sinks and other vessels used for cleaning or transporting food and beverage products

Maximum Concentration:

1% by weight active ingredient of resin, laminate, or surface coating.

Polymeric Tubing for Beverages

Polymeric tubing for transfer of beverages and drinking water.

Use:

Food contact molded plastic and metal parts.

Products:

- Beverage dispensing equipment tubing
- Beverage processing equipment tubing
- Holding tanks
- Pump

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

Maximum Concentration:

1% by weight active ingredient of finished tubing.

Activated Carbon Water Filters

Repeat use activated carbon water filters and other water filter media.

Use:

Process and drinking water filter

Products:

- Activated carbon water filters (and synthetic woven or non-woven media, zeolite and other natural media)

Maximum Concentration:

0.25% by weight active weight percent of the carbon block.

Application:

Product is a READY TO USE product only. [The product] [*This product*] can be applied to organic or inorganic substrates by brushing, dipping, padding, soaking, spraying or by using foam finishing techniques.

For Pump Spray Application: Using pump sprayer, spray entire area 4”-6”s from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Apply product per the table below:

Amount of Product	Pint 16 fl. Oz.	Quart 32 fl. Oz.	½ Gallon 64 fl. Oz.	One Gallon 128 fl. Oz.
Area to be Treated	25 sq. ft.	50 sq. ft.	100 sq. ft.	200 sq. ft.

When treating coarser substrates, more product may be required due to absorption.

For Commercial Spray Application: For commercial application equipment (i.e. electrostatic sprayers, and pressure sprayers) apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. See table for application rates. When treating coarser substrates, more product may be required due to absorption.

For Dipping/Soaking Application:

Use appropriately sized wash basin or tub for dipping/soaking the item you are treating. Use enough Product solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Do not reuse solution after dipping/soaking.

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

The substrate can be dried at temperatures from ambient to a maximum of 160°C (320°F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply the product every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.

DIRECTIONS FOR USE

For residential applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Approved residential uses

The active ingredient in the product is effective against odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae as a static agent.

	Pest controlled	Method of Application
Bed sheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). Product can be applied to fabrics made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefin, polypropylene, rayon, silk, spandex, vinyl, and wool.	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough product solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid from treated item. For larger items (e.g. bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). If necessary, reapply Product every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return. SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

	Pest controlled	Method of Application
		sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply the product three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
Air filters and air filter material for: Furnaces, Air Conditioners, Air Purification Systems, Automobiles Recirculating air handling systems, Vacuum cleaner filters, Aquariums	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	SPRAY: When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply the product every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
Carpeting	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the product solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application. When treating coarser substrates (e.g., wool carpeting), more product may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply the Product every three months or when odor, staining and discoloration due to

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

	Pest controlled	Method of Application
		bacteria, mold stains, and mildew stains return.
Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefin, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon, or wool	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4”-6” from the surface, making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply the product every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
Tents, tarpaulins, wood, sails, ropes.	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4”-6” from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply the product every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return. DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough of the product solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

	Pest controlled	Method of Application
		a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply the product every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
Roofing materials (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats)	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6”-12” from the surface, making sure the surface is completely covered. After applying the product, let stand until dry. If necessary, reapply the product every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
Buffer pads (polishing and abrasive), polyurethane and cellulose for household, non-food contact sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4”-6” from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply the product every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, Formica, glazed tiles, glazed porcelain, synthetic marble, plastic, vinyl	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Using a trigger pump sprayer, spray the entire surface area 4”-6” from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply the product every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

Optional Marketing Statements

- Antimicrobial Surface Protectant
- Creates an invisible shield that inhibits the growth of microorganisms, [microbes] and helps prevent the growth and spread of bacteria.
- Bacteriostatic, fungistatic (mold and mildew), algaestatic.
- Imparts microbiostatic properties.
- Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew) and algae.
- Does not damage screens, including [touchscreen devices], [electronic devices], [device surfaces], [lenses].
- Approved for use on food contact surfaces.
- Protection for indoor and outdoor use.
- Protection for 3 months
- Water based and odor free.
- Unscented.
- Waterproof
- Product is an antimicrobial agent effective against bacteria which cause staining and discoloration.
- Product is an antimicrobial agent effective against fungi (mold and mildew).
- Product is an antimicrobial agent effective against algae.
- Product is an antimicrobial agent effective against odor causing bacteria.
- The Product, an antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow in even the cleanest of homes.
- Creates an invisible barrier to inhibit the growth of mold to keep indoor and outdoor surfaces mold free for up to 3 months.
- Effective on modern hard non-porous washable surfaces made of fiberglass, glazed porcelain, Formica, stainless steel, synthetic marble.
- Inhibits the growth of algae between cleanings.
- Inhibits the growth of bacteria which cause staining and discoloration between cleanings. Inhibits the growth of fungi (mold and mildew) between cleanings.
- Inhibits the growth of odor causing bacteria between cleanings.
- Prevents deterioration caused by bacteria and fungi (mold and mildew). Inhibits deterioration caused by bacteria.
- Protects device [surface], [glass], [lenses] from the growth of [odor-causing microorganisms] [odor-causing bacteria].

PermaSafe SHIELD™ Step 2

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

- Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria. Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.
- Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.
- Resists development of stains and discoloration due to bacteria. Resists development of stains due to fungi (mold and mildew).
- Resists stains due to algae.
- Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).
- Use on the surface of a [touchscreen], [electronic device], [glass], [lenses]

[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

Optional Icons:



[Bracketed Text] is optional text.

{Bracketed Text} is for administrative purposes only and will not appear on the marketplace label

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read: “Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site.”]**

Container Handling: (containers intended for residential users) Nonrefillable/container. Do not reuse or refill the container. Securely wrap original container in several layers of newspaper and discard in trash or offer for recycling if available.

Container Handling: (containers intended for nonresidential users, larger than 5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Dispose of rinsate as pesticide waste. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Container Handling: (containers intended for nonresidential users, smaller than 5 gallons) Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Dispose of rinsate as a pesticide waste. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE SAFETY DATA SHEET (SDS). THE SDS CAN BE OBTAINED BY WRITING THE MANUFACTURER.

IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION The

Manufacturer warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

MANUFACTURER SPECIFICALLY DISCLAIMS ANY OTHER EXPRESSED OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.